



Pulverisierer inkl. Magnetfunktion



www.steck.de



YouTube



Facebook



Instagram



TikTok

Pulverisierer starr



Technische Daten	P4S-BY60	P10S-BY150	P15S-BY200	P21S-BY300
Baggerdienstgewicht (t)	4 - 8	13 - 20	20 - 25	20 - 30
Gewicht (kg)	395	1.250	1.770	2.200
A - Maulweite (mm)	415	650	760	926
B - Länge (mm)	1200	1.900	2.045	2.700
C - Höhe (mm)	1.000	1.230	1.500	1.800
Schließkraft (t)	50	60	79	100
max. Druck (bar)	260	320	320	320

Pulverisierer starr inkl. Magnetfunktion

Technische Daten	P10S-BY150M	P15S-BY200M	P21S-BY300M
Baggerdienstgewicht (t)	15 - 22	22 - 30	25 - 40
Gewicht (kg)	1.850	2.370	3.000
A - Maulweite (mm)	650	760	926
B - Länge (mm)	1.900	2.045	2.700
C - Höhe (mm)	1.230	1.500	1.800
Schließkraft (t)	60	79	100
max. Druck (bar)	320	320	320
Betriebsspannung (V)	220	220	220
Leistung Magnetplatte (kW)	3,5	3,5	3,5
Generator (V)	220	220	220



mehr erfahren

Steck Abbruchgeräte GmbH
Hauptstr. 20
D- 89192 Rammingen

Tel. +49 (0) 7345 9123 - 0
Fax +49 (0) 7345 9123 - 20
E-Mail info@steck.de
Internet www.steck.de

Ihr Ansprechpartner:

